Oswestry Low Back Pain Questionnaire	Name: Date:	DOB:
How long have you had back pain? Years	Months	Weeks
How long have you had leg pain? Years	Months	Weeks
Please read: this questionnaire has been designed to give the provider information as to how your back pain has affected your ability to manage in everyday life. Please answer every section, and mark in each section only the <i>one box</i> which applies to you. We realize you may consider that two of the statements in any one section relate to you, but please just <i>mark the box which most closely describes your problem</i> .		
SECTION 1 - PAIN INTENSITY	SECTION (6 - STANDING
The pain comes and goes and is very mild.	I can star	nd as long as I want without pain.
The pain is mild and does not vary much.		me pain on standing, but it does not increase with
The pain comes and goes and is moderate.	time.	
The pain is moderate and does not vary much The pain comes and goes and is severe.		stand for longer than one hour without increasing pain. stand for longer than 1/2 hour without increasing pain.
The pain is severe and does not vary much.		stand for longer than 10 minutes without increasing
SECTION 2 - PERSONAL CARE	•	anding because it increases the pain immediately.
I would not have to change my way of washing or dressing in		
order to avoid pain.		7 - SLEEPING
I do not normally change my way of washing or dressing even	I get no p	
though it causes some pain.		in bed but it does not increase with time.
Washing and dressing increases the pain, but I manage not to change my way of doing it.	hours.	of pain my normal nights sleep is reduced about 2
Washing and dressing increase the pain and I find it necessary to change my way of doing it.		of pain my normal nights sleep is reduced about 4
Because of the pain I am unable to do some washing and dressing without help.	Because hours.	of pain my normal nights sleep is reduced about 6
Because of the pain I am unable to do any washing or dressing without help.	Pain prev	rents me from sleeping at all.
		8 - SOCIAL LIFE
SECTION 3 - LIFTING		l life is normal and gives me no pain.
I can lift heavy weights without extra pain.		l life is normal, but increases the degree of my pain.
I can lift heavy weights but it causes extra pain Pain prevents me lifting heavy weights off of the floor.		no significant effect on my social life apart from my more energetic interests, e.g. dancing.
Pain prevents me lifting heavy weights off of the floor, but I can		restricted my social life and I do not go out very often.
manage if they are conveniently positioned, e.g. on a table.		restricted my social life to my home.
Pain prevents me from lifting heavy weights, but I can manage		rdly any social life because of pain.
light to medium weights if they are conveniently positioned.		
I can only lift very light weights at the most.		9 - TRAVELING
CDCCTION A WALLETING		pain while traveling.
SECTION 4 - WALKING I have no pain on walking.		e pain while traveling, but none of my usual forms of ake it any worse.
I have no pain on walking I have some pain on walking, but it does not increase with distanc		a pain while traveling, but it does not compel me to
I cannot walk more than one mile without increasing pain.		rnative forms of travel.
I cannot walk more than 1/2 mile without increasing pain.		a pain while traveling which compels me to seek
I cannot walk more than 1/4 mile without increasing pain.		ve forms of travel.
I cannot walk at all without increasing pain.		ricts all forms of travel.
SECTION 5 SITTING	Pain prev	ents all forms of travel except that done lying down.
SECTION 5 - SITTING I can sit in any chair as long as I like.	SECTION	10 - CHANGING DEGREE OF PAIN
I can sit in any chair as long as I like I can sit only in my favorite chair as long as I like.		is rapidly getting better.
Pain prevents me from sitting more than one hour.		fluctuates, but overall is definitely getting better.
Pain prevents me from sitting more than 1/2 hour.		seems to be getting better, but improvement is slow at
Pain prevents me from sitting more than 10 minutes.	present.	
I avoid sitting because it increases pain immediately.		is neither getting better or worse.
		is gradually worsening. is rapidly worsening.
	Pain	